TANK-MOUNTED UNIT, ELECTRIC TE 1N 1000 L, NON-CALIBRATABLE

RADIATOR ANTIFREEZE R

OIL O

Article number:015418101
EAN: 4031109006569

DESCRIPTION

- PE-combi storage tank, double walled, galvanized outer casing, fill level indicator. Pallet feet for pallet truck or forklift
- TZ 10 i electric internal gear pump
- 6.30 m hose line

TECALEMIT GMBH & CO. KG
Am Heizwerk 4
24983 Handewitt

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock

- FMOG hand flow meter, digital, non-calibratable
- The legally prescribed, design-approved overfill protection device is available in the optional safety tank accessory set, which may be ordered separately

TECHNICAL DETAILS

Flow rate	10l/min
Power supply (electrical voltage)	230V
Power supply (electrical frequency)	50Hz
Tank capacity	1000l
Viscosity range	max. 2000mPa·s
Output hose	6,30 m
Motor power	0,55kW

EQUIPMENT

028552201	Signal horn 230V 50Hz
028553301	Signal lamp 230V 50Hz
020102601	Filling armature for direct filling for direct filling on storage tank
020102701	Bleed valve for storage tanks
028553753	Overfill prevention device
020102901	Mounting set for tanks for tanks

TECALEMIT GMBH & CO. KG
Am Heizwerk 4
24983 Handewitt

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock

028553251	Leakage warning device
020202611	Accessory set for safety tank

TECALEMIT GMBH & CO. KG
Am Heizwerk 4
24983 Handewitt

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock