



OIL MANAGEMENT SYSTEM FOR FRESH OIL TMS III CENTRAL UNIT, NON-CALIBRATABLE, INCL. CHINESE

Article number: 030471200
EAN: 4031109008792

DESCRIPTION

- Dispensing: 10 dispensing points / 10 oil types.
- Inputs: 10x pulse generator.
- Outputs for shut-off block and pump control: 10.

Use the functions on the website to remember or compare

- 240 x 64 matrix display
- Profiline keyboard with 19 keys, programmable function keys
- Mains connection: Wide input range switching power supply unit

TECHNICAL DETAILS

Power supply (electrical voltage)	100-115 220-240V
Power supply (electrical frequency)	50-60Hz
Power consumption	15W
PC interface	USB, LAN, RS 485
Printer interface	RS 232

EQUIPMENT

043470000	Wall spacer for TMS III / TKS IV
030479900	Transponder unit for TMS III / TKS IV
028780101	Transponder fob
046072551	Data cable 5 x 0.5 LIYCY
046072511	Bus cable 2 x 0.5 LIYCY
030366001	Measurement and shut-off unit for TMS air
027133582	2-way ball valve G 3/4 i+a G 3/4" ia
046074111	Control line 3 x 1 Oilflex

Use the functions on the website to remember or compare

046072501	Pulse cable 4 x 0.5 LIYCY
030560912	Software for oil management systems Oil Control - full version
030560921	Software for oil management systems PC-Gateway / asanetwork
030560901	Software for oil management systems PC-Gateway / File
030465241	Mini Gateway
030479800	Converter USB to serial

Use the functions on the website to remember or compare