# DIESEL DISPENSING STATION HDM 50 PRO LZ

DIESEL / FUEL OIL D

Article number:110600340
EAN: 4031109005135

## DESCRIPTION

- Liter counter
- Interface: single pulse
- TRbF compliant, incl. drip tray and leak monitoring



**TECALEMIT GMBH & CO. KG**
Am Heizwerk 4
24983 Handewitt

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock

- Gear pump with gas separator, filter
- 4-piston meter with pulse generator
- Type-approved automatic nozzle A 2010, incl. swivel
- Optional hose mast
- Nozzle holder
- Rear and underground suction pipe
- Suction pipe min. DN 40
- Robust powder-coated sheet steel housing
- 5-digit segment display

*Depending on viscosity and system

## TECHNICAL DETAILS

| | |
|---|---|
| **Flow rate** | 50*l/min |
| **Ambient temperature** | -25 - +55°C |
| **Medium temperature** | -10 - +35°C |
| **Driving power** | 1100W |
| **Power supply (electrical voltage)** | 400V |
| **Power supply (electrical frequency)** | 50Hz |
| **Discharge hose** | DN 25 x 4 m |
| **Viscosity range** | 1-20mPa·s |
| **Display** | 640 x 480 px |
| **Accuracy** | < 0,5% |
| **Connection suction side** | DN 40 |
| **Suction height** | max. 4000* |



**TECALEMIT GMBH & CO. KG**
Am Heizwerk 4
24983 Handewitt

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock

# EQUIPMENT

| | |
|---|---|
| **233400370** | Foundation frame B 550 |
| **233400165** | Floating switch HDM eco and pro |
| **233400182** | Angle check valve 1 1/4" HDM 80 eco and pro |
| **233400188** | Angle check valve 1 1/4" for underground tanks |
| **233400325** | Host mast for HDM pro |
| **233400300** | Surcharge fee for Slimline ZVA dispensing nozzle instead of TECALEMIT ZVA |
| **816898013** | Return line adapter PU hose to 1/4" |



**TECALEMIT GMBH & CO. KG**
Am Heizwerk 4
24983 Handewitt

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock