



DIESEL DISPENSING STATION HDM 150/050 PRO E

Article number: 110600630
EAN: 4031109005210

DESCRIPTION

- With EC-type examination certificate (MID)
- Fuel Management System with PC software (2.000 users)
- Second dispensing point included e. g. AdBlue®
- Double identification system - driver/vehicle

Use the functions on the website to remember or compare

- Identification via transponder technology
- USB included as standard
- Optional interfaces: RS 232, RS 422, LAN, WLAN, GPRS
- TRbF compliant, incl. drip tray and leak monitoring
- Two gear pumps with gas separator, filter
- Two x 4-piston meter with pulse generator
- Type-approved automatic nozzle ZVA 25 / ZVA 19, incl. swivel
- Optional hose mast
- Nozzle holder
- Rear and underground suction pipe
- Suction pipe min. DN 50
- Robust powder-coated sheet steel housing
- Graphic display 640 x 480
- Stores up to 10.000 tank transactions
- Various languages selectable
- Additional languages can be installed with a USB flash drive

*Depending on viscosity and system

TECHNICAL DETAILS

Flow rate	140 / 50*l/min
Ambient temperature	-25 - +55°C
Medium temperature	-10 - +35°C
Driving power	2200W
Power supply (electrical voltage)	400V
Power supply (electrical frequency)	50Hz
Discharge hose	DN 25 x 4 m / DN 19 x 4 m
Viscosity range	1-20mPa·s

Use the functions on the website to remember or compare

Display	640 x 480 px
Accuracy	< 0,5%
Connection suction side	DN 50
Suction height	max. 4000*mm

EQUIPMENT

233400184	Angle check valve 2" HDM 150 pro / HDM 150/50 pro
224020020	Füllstandsonde 300 mbar 1,0 %, 4-20mA, 5m Kabel
227702900	Support Software commissioning and initial training on site
227702800	Support Software commissioning and initial training
227702500	Support In-house software preconfiguration for up to 50 drivers/vehicles
227702100	Support In-house Softwarekonfiguration für bis zu 100 Fahrer/Fahrzeuge
227702050	Support In-house Softwarekonfiguration für bis zu 50 Fahrer/Fahrzeuge
227000300	myTecalemit Websoftware Full-Service Package Filling Station for TECALEMIT HDA eco/HDA pro
227000200	myTecalemit Websoftware Fill level module for TECALEMIT FMS units HDA eco/HDA pro as additional fill level logging tool for base and reporting/service module
227000100	myTecalemit web software Filling station reporting and service module

Use the functions on the website to remember or compare

233400371	Foundation frame B 850
233400300	Surcharge fee for Slimline ZVA dispensing nozzle instead of TECALEMIT ZVA
816898013	Return line adapter PU hose to 1/4"
233400325	Host mast for HDM pro
233400165	Floating switch HDM eco and pro
233400031	WLAN connection for HDA pro
224061000	Terminal box IP 66 with breathable filter
224070000	1" mounting set for standard level probes
224050010	Fill level probe 500 mbar
233400450	Connection for fill level sensor
233400059	Surcharge fee for access via MIFARE transponder reader for HDA pro commercial only
233400058	Surcharge fee for access via MIFARE transponder reader for HDA pro non commercial only
233400081	USB read station for transponder fobs
233400202	RFID - Transponder card for contactless identification
233400200	Transponder fob for contactless identification of users
233400508	Dispensing hose 8.00 m DN 25 x 4 instead of 4.00 m DN 25 x 4
233400506	Dispensing hose, with inlay 6.00 m DN 25 x 4 instead of 4.00 m DN 25 x 4
233400023	LTE module for HDA pro including SIM card

Use the functions on the website to remember or compare

233400035

WLAN connection for HDM eco, HDM eco Box, HDM eco DEF, HDA eco Box

Use the functions on the website to remember or compare

TECALEMIT GMBH & CO. KGMunketoft 42
24937 Flensburg**T** +49 461 8696-126
M sales@tecalemit.demo-th: 08:00 - 17:00 o'clock
fr: 08:00 - 15:00 o'clock