



DIESEL DISPENSING STATION HDM 60 ECO

Article number: 110700860
EAN: 4031109004985

DESCRIPTION

- Fuel Management System with connexion to myTecalemit
- Double identification system - driver/vehicle for max. 4,000 users
- Identification via transponder technology
- USB interface to access data
- Data connection via LAN & WLAN optionally available
- Data connection via GPRS & LTE optionally available

Use the functions on the website to remember or compare

- incl. drip tray and leakage monitoring
- Rotary vane pump with single-phase asynchronous motor
- Oval gear meter with pulse generator
- A 2010 automatic nozzle with approved design, incl. swivel joint
- Discharge hose holder
- Rear and underground suction pipe connection possible
- Suction pipe min. DN 25
- Graphical Display, illuminated
- Robust powder-coated sheet steel housing
- Stores up to 10,000 transactions
- Menu available in DE, EN, FR, ES, DK, PL, RO, RU
- Additional languages can be installed with a USB flash drive

* depends on viscosity and system

TECHNICAL DETAILS

Flow rate	55l/min
Ambient temperature	-20 - +55°C
Medium temperature	-10 - +35°C
Suction hose	DN 25
Power supply (electrical voltage)	230V
Power supply (electrical frequency)	50Hz
Discharge hose	DN 19 x 4 m
Tap count	1
Accuracy	± 0,5%
Connection suction side	G 1"

Use the functions on the website to remember or compare

Suction height	3,5m
----------------	------

EQUIPMENT

233400187	Angle check valve 1" HDM 60 eco
224020020	Füllstandsonde 300 mbar 1,0 %, 4-20mA, 5m Kabel
227702100	Support In-house Softwarekonfiguration für bis zu 100 Fahrer/Fahrzeuge
227702050	Support In-house Softwarekonfiguration für bis zu 50 Fahrer/Fahrzeuge
227702900	Support Software commissioning and initial training on site
227702800	Support Software commissioning and initial training
227702500	Support In-house software preconfiguration for up to 50 drivers/vehicles
227000300	myTecalemit Websoftware Full-Service Package Filling Station for TECALEMIT HDA eco/HDA pro
227000200	myTecalemit Websoftware Fill level module for TECALEMIT FMS units HDA eco/HDA pro as additional fill level logging tool for base and reporting/service module
227000100	myTecalemit web software Filling station reporting and service module
233400373	Foundation frame HDM eco
233400300	Surcharge fee for Slimline ZVA dispensing nozzle instead of TECALEMIT ZVA
233400180	Filter bracket incl. 30 microfilter cartridge

Use the functions on the website to remember or compare

233400165	Floating switch HDM eco and pro
233400032	LAN connection for HDM eco, HDM eco Box
233400195	Mounting kit return line for HDM eco
233400181	Angle check valve 1" HDM 60 eco
224061000	Terminal box IP 66 with breathable filter
224070000	1" mounting set for standard level probes
224050010	Fill level probe 500 mbar
233400160	Connection for fill level probe
233400081	USB read station for transponder fobs
233400202	RFID - Transponder card for contactless identification
233400200	Transponder fob for contactless identification of users
233400408	Dispensing hose, with inlay, 8.00 m DN 19 x 4 instead of 4.00 m DN 19 x 4
233400406	Dispensing hose, with inlay, 6.00 m DN 19 x 4 instead of 4.00 m DN 19 x 4
233400024	LTE module for HDM/HDA eco including SIM card
233400035	WLAN connection for HDM eco, HDM eco Box, HDM eco DEF, HDA eco Box

Use the functions on the website to remember or compare