



DISPENSING STATION HDM ECO AdBLUE[®], INDOOR

Article number: 110700900
EAN: 4031109005043

DESCRIPTION

- Non-calibratable
- Tank automat with PC software (2.000 users)
- Double identification system - driver/vehicle
- Identification via transponder technology

Use the functions on the website to remember or compare

- USB included as standard
- TRbF compliant, incl.drip tray and leak monitoring
- Hybrid pump HORNET W 85 H INOX
- Oval gear meter with pulse generator
- Type-approved automatic nozzle A 2003 ES, incl. swivel
- Nozzle holder
- Rear and underground suction pipe connection possible
- Suction line min. DN 25
- Sturdy powder-coated sheet steel housing
- LC display, two lines of characters 8 and 19 mm
- Stores up to 10.000 tank dispensation data entries
- Data connection via LAN & WLAN optionally available
- Data connection via GPRS & UMTS optionally available
- Menue available selectable in German, English and French
- Additional languages can be installed with a USB flash drive

* Depending on viscosity and system

TECHNICAL DETAILS

Flow rate	max. 40l/min
Ambient temperature	-7° - +40°C
Medium temperature	-7° - +40°C
Power supply (electrical voltage)	230V
Power supply (electrical frequency)	50Hz
Discharge hose	DN 19 x 4 m
Suction connection female thread	G 1" (BSP)
Tap count	1

Use the functions on the website to remember or compare

Accuracy	± 0,5%
Suction height	4m

EQUIPMENT

224061000	Terminal box IP 66 with breathable filter
224020020	Füllstandsonde 300 mbar 1,0 %, 4-20mA, 5m Kabel
227702100	Support In-house Softwarekonfiguration für bis zu 100 Fahrer/Fahrzeuge
227702050	Support In-house Softwarekonfiguration für bis zu 50 Fahrer/Fahrzeuge
227702900	Support Software commissioning and initial training on site
227702800	Support Software commissioning and initial training
227702500	Support In-house software preconfiguration for up to 50 drivers/vehicles
227000300	myTecalemit Websoftware Full-Service Package Filling Station for TECALEMIT HDA eco/HDA pro
227000200	myTecalemit Websoftware Fill level module for TECALEMIT FMS units HDA eco/HDA pro as additional fill level logging tool for base and reporting/service module
227000100	myTecalemit web software Filling station reporting and service module
233400373	Foundation frame HDM eco
233400181	Angle check valve 1" HDM 60 eco

Use the functions on the website to remember or compare

233400032	LAN connection for HDM eco, HDM eco Box
224070000	1" mounting set for standard level probes
224050010	Fill level probe 500 mbar
233400160	Connection for fill level probe
233400081	USB read station for transponder fobs
233400202	RFID - Transponder card for contactless identification
233400200	Transponder fob for contactless identification of users
233400508	Dispensing hose 8.00 m DN 25 x 4 instead of 4.00 m DN 25 x 4
233400506	Dispensing hose, with inlay 6.00 m DN 25 x 4 instead of 4.00 m DN 25 x 4
233400024	LTE module for HDM/HDA eco including SIM card
233400035	WLAN connection for HDM eco, HDM eco Box, HDM eco DEF, HDA eco Box

Use the functions on the website to remember or compare