



UNIVERSAL HOSE REEL FOR GREASE WITH 10 M DISPENSING HOSE

Article number: 013415012
EAN: 4031109006224

DESCRIPTION

enables solutions for various use cases and a wide operating range. Special roller guides ensure that it is easy to pull out the hose in all directions. Thanks to slide ring seals and specially-coated hubs, it operates smoothly and leak-free under all operating conditions. The well-balanced retraction mechanism and robust locking mechanism guarantee years of maintenance-free operation. Mounting on the wall or ceiling, on the ground or in the pit is possible without additional brackets or braces. The universal hose reels may be installed in rows, eliminating awkward spaces in-

Use the functions on the website to remember or compare

between. The two-piece hose buffer can be moved as needed. In accordance with legal requirements, the inner connecting hose for connecting to the pipe network is made of a fully metallic flex pipe.

- For lubricating greases
- Can be installed in rows
- Bracket with reel and hose guide
- Dispensing hose with hose buffer
- Flexible connecting hose, 750 mm, with cap nut for cutting ring connector 20-S for connecting to pipe
- Automatic locking device to hold grease hose in place
- Sheet steel casing

TECHNICAL DETAILS

Max. operating pressure	400bar
Hose length	10m
Hose diameter	DN 6,3

EQUIPMENT

043561011	Drip pan, single piece, with drainage screw one piece
043562011	Drip pan, in two parts, with drainage screw
043563011	Drip pan, in three parts, with drainage screw
027133582	2-way ball valve G 3/4 i+a G 3/4" ia
027704451	Dirt trap R 3/4"
027234411	HP nozzle PN 400 with sieve

Use the functions on the website to remember or compare

SPARE PARTS

026015271

Dispensing hose DN 6.3, 10 m long

Use the functions on the website to remember or compare

TECALEMIT GMBH & CO. KG

Munketoft 42
24937 Flensburg

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 17:00 o'clock
fr: 08:00 - 15:00 o'clock