



TANK-MOUNTED UNIT, ELECTRIC TE 1N 1000 L, NON-CALIBRATABLE

Article number: 015418101

EAN: 4031109006569

RADIATOR ANTIFREEZE



OIL



DESCRIPTION

- PE-combi storage tank, double walled, galvanized outer casing, fill level indicator. Pallet feet for pallet truck or forklift
- TZ 10 i electric internal gear pump
- 6.30 m hose line

Use the functions on the website to remember or compare

TECALEMIT GMBH & CO. KG

Am Heizwerk 4
24983 Handewitt

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock

- FMOG hand flow meter, digital, non-calibratable
- The legally prescribed, design-approved overfill protection device is available in the optional safety tank accessory set, which may be ordered separately

TECHNICAL DETAILS

Flow rate	10l/min
Power supply (electrical voltage)	230V
Power supply (electrical frequency)	50Hz
Tank capacity	1000l
Viscosity range	max. 2000mPa·s
Output hose	6,30 m
Motor power	0,55kW

EQUIPMENT

028552201	Signal horn 230V 50Hz
028553301	Signal lamp 230V 50Hz
020102601	Filling armature for direct filling for direct filling on storage tank
020102701	Bleed valve for storage tanks
028553753	Overfill prevention device
020102901	Mounting set for tanks for tanks

Use the functions on the website to remember or compare

028553251

Leakage warning device

020202611

Accessory set for safety tank

Use the functions on the website to remember or compare

TECALEMIT GMBH & CO. KG

Am Heizwerk 4
24983 Handewitt

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock