



DOUBLE MEMBRANE PUMP 1/2 WITH VACUUM CONTROL

Article number: 015433225

EAN:

DIESEL / FUEL OIL **D**
RADIATOR ANTIFREEZE **R**
OIL **O**
USED OIL **O**

DESCRIPTION

Compressed air double membrane pump incl. vacuum control for Diesel, motor, gear and hydraulic oil,

Use the functions on the website to remember or compare

antifreeze concentrate, used oil of known origin and used antifreeze.

TECHNICAL DETAILS

Flow rate	ca. 20l/min
Protection class	IP 54
Power supply (electrical voltage)	230V
Power supply (electrical frequency)	50Hz
Viscosity range	max. 2000mPa·s
Pressure connection female thread	1/2"
Suction connection female thread	1/2"
Air pressure max.	7,5bar
Air consumption	400l/min
Dirt particle size max.	1,6mm
Compressed air connection female thread	1/4"

EQUIPMENT

029056451	Suction line for 200 lt. drum G 3/4" DN32, flexible for 200lt. drum
026090511	Flex pipe DN 20 x 500 mm long

Use the functions on the website to remember or compare

027133582	2-way ball valve G 3/4 i+a G 3/4" ia
029056541	Suction hose DN 32, 4.50 m
027027551	Suction pipe DN 28, 800 mm DN 28, 800 mm
029056361	Dispensing hose DN 32, 4.5 m DN 32, 4.50 m
029060412	Suction and dispensing hose DN 16, 1.60 m, G 1/2" external thread
029060422	Suction and dispensing hose DN 16, 2.25 m, G 1/2" external thread
029060432	Suction and dispensing hose DN 16, 3.15 m, G 1/2" external thread
029060442	Suction and dispensing hose DN 16, 4.50 m, G 1/2" external thread
029060462	Suction and dispensing hose DN 16, 6.30 m, G 1/2" external thread
020202881	Automatic pump switch-off, time controlled time controlled
043332351	Hose wall holder, cast aluminum
027270011	Extraction fitting, compl.
027270501	Extraction fitting, Mercedes Benz 1/2
027028011	Combined MB / VAG Adapter
043561011	Drip pan, single piece, with drainage screw one piece
027027011	Suction probe, 5 mm, 645 mm long, rigid, white 5 mm, 645 mm long, rigid, white
027027021	Suction probe, 6 mm, 645 mm long, rigid, yellow 6 mm, 645 mm long, rigid, yellow

Use the functions on the website to remember or compare

027027061	Suction probe, 5.4 mm, 1200 mm long, flexible 5,4 mm, 1200 mm long, flexible
027027072	Suction probe, 8 mm, 700 mm long, flexible 8 mm, 700 mm long, flexible
027027141	Suction probe, 5.4 mm, 950 mm long, flexible for MCC-Smart
041719421	Extraction adapter with pin DN 20 - G3/4"i
027027081	Suction probe, 8 mm, 1200 mm long, flexible 8 mm, 1200 mm long, flexible
043711282	Connection bend with pin
027027421	Suction probe Ø 6 mm, 660 mm long, rigid
027027411	Suction probe Ø 7.5 mm, 660 mm long, flexible
027027431	Suction probe Ø 5.4 mm, 950 mm long, flexible
027027600	Special Daimler suction probe Ø 8.2 mm, 1000 mm long, flexible
043526801	Drip pan for remote oil equipment
027270201	Adapter NAG2
027028600	Adapter plate for oil extractor
027027610	Suction probe 5,4 mm, 940 mm long, flexible
027027620	Suction probe 8,0 mm, 950 mm long, flexible
027027630	Suction probe 5,4 mm, 1.200 mm long, flexible
027028700	Dust cover for suction used oil pump
027095102	Prove quiver for wall mounting long
029056542	Suction hose DN 32 2.0m long, with coupling

Use the functions on the website to remember or compare

027270301

Filling Adapter NAG2 eco

Use the functions on the website to remember or compare

TECALEMIT GMBH & CO. KGAm Heizwerk 4
24983 Handewitt**T** +49 461 8696-126
M sales@tecalemit.demo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock