



## **ELECTRIC PUMP FOR FRESH OIL GEAR PUMP TZ10I, NON- CALIBRATABLE, PORTABLE**

Article number: 015471201

EAN: 4031109001854

RADIATOR ANTIFREEZE



OIL



### **DESCRIPTION**

- For engine oil, gear oil, hydraulic oil and radiator antifreeze (concentrate)

Use the functions on the website to remember or compare

**TECALEMIT GMBH & CO. KG**

Munketoft 42  
24937 Flensburg

**T** +49 461 8696-126  
**M** sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock  
fr: 08:00 - 15:00 o'clock

- Portable, mounted on chassis
- Internal overflow
- **Without suction line, without pressure line**

## TECHNICAL DETAILS

|                                     |               |
|-------------------------------------|---------------|
| Flow rate                           | ca. 10l/min   |
| Ambient temperature                 | 0 - +40°C     |
| Medium temperature                  | 0 - +60°C     |
| Driving power                       | 0,55kW        |
| Protection class                    | IP 44         |
| Power supply (electrical voltage)   | 230V          |
| Power supply (electrical frequency) | 50Hz          |
| Viscosity range                     | max. 600mPa·s |
| Pressure connection                 | G 3/4"        |
| Delivery pressure                   | max. 10bar    |
| Suction connection                  | G 1/2"        |

## EQUIPMENT

|           |                                  |
|-----------|----------------------------------|
| 027240532 | Dispensing nozzle for engine oil |
| 027240552 | Dispensing nozzle for gear oil   |

Use the functions on the website to remember or compare

|                  |                                                                     |
|------------------|---------------------------------------------------------------------|
| <b>027170211</b> | Hand flow meter FMOG, digital                                       |
| <b>043508481</b> | Suction pipe guide ring G 2 for G 2" drum connector                 |
| <b>029056451</b> | Suction line for 200 lt. drum G 3/4" DN32, flexible for 200lt. drum |
| <b>029056391</b> | Suction lines for other tank sizes 1.8 m long                       |
| <b>029060412</b> | Suction and dispensing hose DN 16, 1.60 m, G 1/2" external thread   |
| <b>029060422</b> | Suction and dispensing hose DN 16, 2.25 m, G 1/2" external thread   |
| <b>029060432</b> | Suction and dispensing hose DN 16, 3.15 m, G 1/2" external thread   |
| <b>029060442</b> | Suction and dispensing hose DN 16, 4.50 m, G 1/2" external thread   |
| <b>029060462</b> | Suction and dispensing hose DN 16, 6.30 m, G 1/2" external thread   |
| <b>027170221</b> | Hand flow meter FMOG, digital                                       |

Use the functions on the website to remember or compare