



ELECTRIC PUMP FOR FRESH OIL REMOTE OIL EQUIPMENT TZ10AE, LEGALLY CALIBRATABLE

Article number: 015482101

EAN: 4031109006651

RADIATOR ANTIFREEZE



OIL



DESCRIPTION

- For engine oil, gear oil, hydraulic oil and radiator antifreeze (concentrate)

Use the functions on the website to remember or compare

TECALEMIT GMBH & CO. KG

Am Heizwerk 4
24983 Handewitt

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock

- With compensation reservoir, mounting bracket,
- Suction connector with dirt trap
- Diaphragm pressure regulator, connecting cable and plug, fully assembled.
- **Without suction line, without pressure line**

TECHNICAL DETAILS

Flow rate	ca. 10l/min
Ambient temperature	0 - +40°C
Medium temperature	0 - +60°C
Driving power	0,55kW
Protection class	IP 54
Power supply (electrical voltage)	230V
Power supply (electrical frequency)	50Hz
Viscosity range	max. 600mPa·s
Delivery pressure	max. 10bar
Suction connection	G 3/4"

EQUIPMENT

043508481	Suction pipe guide ring G 2 for G 2" drum connector
028525011	Diaphragm pressure regulator M 22 x 1.5

Use the functions on the website to remember or compare

028525021	Diaphragm pressure regulator 1/2 a
028536331	Contactor control 230 V
030460651	Pump switch-off 230V
029056451	Suction line for 200 lt. drum G 3/4" DN32, flexible for 200lt. drum
029058101	Return line made of full metal flex hose, 2m long
026090511	Flex pipe DN 20 x 500 mm long
043820701	Return line reinforced with woven PVC fabric, 1.50 m long
027133582	2-way ball valve G 3/4 i+a G 3/4" ia
027704501	Dirt trap G 3/4 i
027705010	Venting device, manual
043526801	Drip pan for remote oil equipment

Use the functions on the website to remember or compare