



ELECTRIC PUMP FOR FRESH OIL GEAR PUMP TZ10I, NON- CALIBRATABLE, NON- PORTABLE

Article number: 028610101

EAN: 4031109008372

RADIATOR ANTIFREEZE



OIL



DESCRIPTION

- For engine oil, gear oil, hydraulic oil and radiator antifreeze (concentrate)

Use the functions on the website to remember or compare

TECALEMIT GMBH & CO. KG

Am Heizwerk 4
24983 Handewitt

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock

- Without overflow

TECHNICAL DETAILS

Flow rate	ca. 10l/min
Ambient temperature	0 - +40°C
Medium temperature	0 - +60°C
Driving power	0,55kW
Protection class	IP 55
Power supply (electrical voltage)	230V
Power supply (electrical frequency)	50Hz
Viscosity range	max. 600mPa·s
Pressure connection	G 1/2"
Delivery pressure	max. 10bar
Suction connection	G 1/2"

EQUIPMENT

027240532	Dispensing nozzle for engine oil
027240552	Dispensing nozzle for gear oil
027170211	Hand flow meter FMOG, digital

Use the functions on the website to remember or compare

043508481	Suction pipe guide ring G 2 for G 2" drum connector
029056451	Suction line for 200 lt. drum G 3/4" DN32, flexible for 200lt. drum
029056391	Suction lines for other tank sizes 1.8 m long
029060412	Suction and dispensing hose DN 16, 1.60 m, G 1/2" external thread
029060422	Suction and dispensing hose DN 16, 2.25 m, G 1/2" external thread
029060432	Suction and dispensing hose DN 16, 3.15 m, G 1/2" external thread
029060442	Suction and dispensing hose DN 16, 4.50 m, G 1/2" external thread
029060462	Suction and dispensing hose DN 16, 6.30 m, G 1/2" external thread
027170221	Hand flow meter FMOG, digital

Use the functions on the website to remember or compare