



ELECTRIC PUMP FOR FRESH OIL REMOTE OIL EQUIPMENT TZ10 I 400 V, NON- CALIBRATABLE

Article number:028610301

EAN:

RADIATOR ANTIFREEZE



OIL



DESCRIPTION

Use the functions on the website to remember or compare

TECALEMIT GMBH & CO. KG

Munketoft 42
24937 Flensburg

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock

Scope of delivery

- TECALEMIT gear pumps for engine oil, gear oil, hydraulic oil and radiator antifreeze (concentrate)
- With integrated overflow valve
- **Without suction line, without pressure line**

TECHNICAL DETAILS

Flow rate	ca. 10l/min
Ambient temperature	0 - +40°C
Medium temperature	0 - +60°C
Driving power	0,55kW
Protection class	IP 54
Power supply (electrical voltage)	230V
Power supply (electrical frequency)	50Hz
Viscosity range	max. 600mPa·s
Delivery pressure	max. 10bar
Suction connection	G 3/4"

EQUIPMENT

027240532	Dispensing nozzle for engine oil
027240552	Dispensing nozzle for gear oil

Use the functions on the website to remember or compare

027170211	Hand flow meter FMOG, digital
043508481	Suction pipe guide ring G 2 for G 2" drum connector
029056451	Suction line for 200 lt. drum G 3/4" DN32, flexible for 200lt. drum
029056391	Suction lines for other tank sizes 1.8 m long
029060412	Suction and dispensing hose DN 16, 1.60 m, G 1/2" external thread
029060422	Suction and dispensing hose DN 16, 2.25 m, G 1/2" external thread
029060432	Suction and dispensing hose DN 16, 3.15 m, G 1/2" external thread
029060442	Suction and dispensing hose DN 16, 4.50 m, G 1/2" external thread
029060462	Suction and dispensing hose DN 16, 6.30 m, G 1/2" external thread
027170221	Hand flow meter FMOG, digital

Use the functions on the website to remember or compare