



GEAR PUMP TZ10L NE, NON-PORTABLE

Article number: 028660151

EAN: 4031109002080

RADIATOR ANTIFREEZE



OIL



DESCRIPTION

- For engine oil, gear oil, hydraulic oil and radiator antifreeze (concentrate)
- Internal overflow

Use the functions on the website to remember or compare

TECALEMIT GMBH & CO. KG

Munketoft 42
24937 Flensburg

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock

TECHNICAL DETAILS

Flow rate	ca. 10l/min
Driving power	550W
Protection class	44IP
Power supply (electrical voltage)	3,4 A 230V
Power supply (electrical frequency)	50Hz
Viscosity range	max. 600mPa·s
Pressure connection	G 1/2"
Delivery pressure	max. 16bar
Suction connection	G 1/2"

EQUIPMENT

027240532	Dispensing nozzle for engine oil
027240552	Dispensing nozzle for gear oil
027170211	Hand flow meter FMOG, digital
043508481	Suction pipe guide ring G 2 for G 2" drum connector
029056451	Suction line for 200 lt. drum G 3/4" DN32, flexible for 200lt. drum
029056391	Suction lines for other tank sizes 1.8 m long
029060412	Suction and dispensing hose DN 16, 1.60 m, G 1/2" external thread

Use the functions on the website to remember or compare

029060422	Suction and dispensing hose DN 16, 2.25 m, G 1/2" external thread
029060432	Suction and dispensing hose DN 16, 3.15 m, G 1/2" external thread
029060442	Suction and dispensing hose DN 16, 4.50 m, G 1/2" external thread
029060462	Suction and dispensing hose DN 16, 6.30 m, G 1/2" external thread
027170221	Hand flow meter FMOG, digital

Use the functions on the website to remember or compare