



OIL MANAGEMENT SYSTEM FOR FRESH OIL TKS IV, CENTRAL UNIT, MID

Article number: 030472100

EAN: 4031109008822

RADIATOR ANTIFREEZE



OIL



DESCRIPTION

- Legally calibrated dispensation for: 2 dispensing points / 2 oil types.
- Inputs: 2x double pulse generator, 2x release contacts

Use the functions on the website to remember or compare

TECALEMIT GMBH & CO. KG

Munketoft 42
24937 Flensburg

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock

- Outputs for shut-off block and pump control: 2.
- Aluminum housing, 240 x 64 graphic display
- Durable membrane keyboard with 19 keys
- Mains connection: Wide input range switching power supply unit

TECHNICAL DETAILS

Power supply (electrical voltage)	100-115 220-240V
Power supply (electrical frequency)	50-60Hz
Power consumption	15W
PC interface	USB, LAN, RS 485
Printer interface	RS 232

EQUIPMENT

030465241	Mini Gateway
028780101	Transponder fob
046072551	Data cable 5 x 0.5 LIYCY
046072511	Bus cable 2 x 0.5 LIYCY
030560921	Software for oil management systems PC-Gateway / asanetwork
046074111	Control line 3 x 1 Oilflex
046072501	Pulse cable 4 x 0.5 LIYCY

Use the functions on the website to remember or compare

027705000	Non-return valve 3/4" ia
027133582	2-way ball valve G 3/4 i+a G 3/4" ia
030560901	Software for oil management systems PC-Gateway / File
030479900	Transponder unit for TMS III / TKS IV
030560912	Software for oil management systems Oil Control - full version
030366050	Measurement and shut-off unit for TMS 3 and TKS IV MID
030366060	Mess- und Absperreinheit compact für TMS 3 und TKS IV MID
030479800	Converter USB to serial

Use the functions on the website to remember or compare