



## **OIL MANAGEMENT SYSTEM FOR FRESH OIL TKS IV CENTRAL UNIT, NON-CALIBRATABLE**

Article number: 030472200  
EAN: 4031109008839

### **DESCRIPTION**

- Dispenses for: 4 dispensing points / 4 oil types.
- Inputs: 4x pulse generator.
- Outputs for shut-off block and pump control: 4.
- Aluminum housing, 240 x 64 graphic display

Use the functions on the website to remember or compare

- Durable membrane keyboard with 19 keys
- Mains connection: Wide input range switching power supply unit

## TECHNICAL DETAILS

<b>Power supply (electrical voltage)</b>	100-115   220-240V
<b>Power supply (electrical frequency)</b>	50-60Hz
<b>Power consumption</b>	15W
<b>PC interface</b>	USB, LAN, RS 485
<b>Printer interface</b>	RS 232

## EQUIPMENT

<b>043470000</b>	Wall spacer for TMS III / TKS IV
<b>030479900</b>	Transponder unit for TMS III / TKS IV
<b>028780101</b>	Transponder fob
<b>046072551</b>	Data cable 5 x 0.5 LIYCY
<b>046072511</b>	Bus cable 2 x 0.5 LIYCY
<b>030366001</b>	Measurement and shut-off unit for TMS air
<b>027133582</b>	2-way ball valve G 3/4 i+a G 3/4" ia
<b>046074111</b>	Control line 3 x 1 Oilflex

Use the functions on the website to remember or compare

<b>046072501</b>	Pulse cable 4 x 0.5 LIYCY
<b>030560912</b>	Software for oil management systems Oil Control - full version
<b>030560921</b>	Software for oil management systems PC-Gateway / asanetwork
<b>030560901</b>	Software for oil management systems PC-Gateway / File
<b>030465241</b>	Mini Gateway
<b>030479800</b>	Converter USB to serial

Use the functions on the website to remember or compare