



TMS SMART GATEWAY INKL. BASISSOFTWARE TMS CONTROL

Article number:030491000

EAN: 4031109021036

RADIATOR ANTIFREEZE



OIL



DESCRIPTION

The central communication and control unit for a data processing' management and control communications among the devices.

Use the functions on the website to remember or compare

TECALEMIT GMBH & CO. KG

Am Heizwerk 4
24983 Handewitt

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock

Includes:

- ZigBee® communication module
- LNA/WLAN (WiFi) module
- USB interface
- wide-range plug-in power supply
- status lights (ON, CONFIG, ERROR)
- signal antenna

Technical data:

- Protection class: IP33
- Power supply: 110-240 V; 50/60 Hz
- Operating temperature: 0°C till +50°C
- Storage temperature: -20°C till +70°C
- Weight: 0.6 kg
- Dimension: (WxHxD): 209x334x66mm

TECHNICAL DETAILS

Protection class	33IP
Power supply (electrical voltage)	100-240V
Power supply (electrical frequency)	50-60Hz
Power supply unit	Weitbereichsschaltnetzteil

Use the functions on the website to remember or compare

EQUIPMENT

030491010	TMS smart Repeater
030492110	TMS smart Meter smart manual flow meter for engine oil
030499000	TMS smart Control Pro

Use the functions on the website to remember or compare