



HAND PUMP K 10 C KIT, TELESCOPING TUBE, POTENTIAL EQUALIZATION CABLE

Article number: 103089200

EAN: 4031109004664

DIESEL / FUEL OIL



RADIATOR ANTIFREEZE



FUEL



DESCRIPTION

- For diesel, fuels (AI-III), heating oil EL/L, kerosene (hazard class AI-II), low viscosity mineral oils, radiator antifreeze (undiluted), RME

Use the functions on the website to remember or compare

TECALEMIT GMBH & CO. KG

Am Heizwerk 4
24983 Handewitt

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock

- Piston pump
- Single-acting
- 470 mm - 925 mm telescopic suction pipe
- Hose fittings 1.5 m, DN19 x 4, HORN 365X, electrically conductive, with AK 20 outlet manifold
- Potential equalization cable

TECHNICAL DETAILS

Flow rate	0,25l/stroke
Suction pipe length	470 - 925mm
Drum thread	M 64 x 4 / G 2"
Ambient temperature	-20 - +40°C
Medium temperature	-20 - +40°C

EQUIPMENT

235460000	Telescopic suction pipe TR 2/1
245050000	Filter FFT 26
250300000	Outlet valve AV 20 for DN 19 hose
250100000	Outlet manifold AK 20 for DN 19 hose
247080000	Hose DN 19 x 4, Horn 40X
209060030	Potential equalisation cable 2m

Use the functions on the website to remember or compare

SPARE PARTS

248000080

Replacement parts set 8

Use the functions on the website to remember or compare