



ELECTRIC PUMP HORNET W 40

Article number: 104428700

EAN: 4031109000505

DIESEL / FUEL OIL **D**
RADIATOR ANTIFREEZE **R**

DESCRIPTION

- For diesel, heating oil EL/L, radiator antifreeze (concentrate), GTL, HVO and R33
- Self-priming with integrated siphon protection
- Foot filter
- Thermal fuse
- Anti-kink spring

Use the functions on the website to remember or compare

TECALEMIT GMBH & CO. KG

Munketoft 42
24937 Flensburg

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock

- ZP 19 standard nozzle with hose swivel joint
- "Schuko" mains plug - cable length: 2 m

TECHNICAL DETAILS

Flow rate	ca. 38l/min
Drum thread	M 64 x 4 / G 2"
Driving power	250W
Protection class	IP 44
Suction hose	1600mm
Current consumption	1,2A
Power supply (electrical voltage)	230V
Power supply (electrical frequency)	50Hz
Discharge hose	4m
Dispense hose profile	DN 19 x 4mm
Max. suction height	2m

EQUIPMENT

252610000	Automatic nozzle A 2010
252400000	Standard nozzle ZP 19

Use the functions on the website to remember or compare

252300001	Standard nozzle ZV 2000
247080000	Hose DN 19 x 4, Horn 40X
234401000	Suction hose W 40
253591000	Electronic flow meter FMT 3 - POM - add-on kit for HORNET 40
253591997	Attachment kit FMT 3 to HORNET 40

SPARE PARTS

248000070	Replacement parts set 7
------------------	-------------------------

Use the functions on the website to remember or compare