



## **ELECTRIC PUMP TECPUMP 600 AC ECO (SET WITH 6 M DISCHARGE HOSE AND NOZZLE)**

Article number: 105610600

EAN: 4031109013031

**DIESEL** **D**  
**FUEL OIL**  
**RADIATOR ANTIFREEZE** **R**

### **DESCRIPTION**

- For diesel, heating oil EL/L, and radiator antifreeze (concentrate), GTL, HVO and R33

Use the functions on the website to remember or compare

**TECALEMIT GMBH & CO. KG**

Munketoft 42  
24937 Flensburg

**T** +49 461 8696-126  
**M** sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock  
fr: 08:00 - 15:00 o'clock

- Self-priming with integrated siphon protection
- With integrated filter on the suction side
- With ZV 2000 nozzle incl. hose swivel joint
- 6 m discharge hose
- 1,6 m suction hose
- Schuko mains plug - cable length 2 m

## TECHNICAL DETAILS

|                                     |             |
|-------------------------------------|-------------|
| Flow rate                           | ca. 55l/min |
| Drum thread                         | G 2"        |
| Ambient temperature                 | -20 - +40°C |
| Medium temperature                  | -10 - +40°C |
| Driving power                       | 370W        |
| Protection class                    | IP 54       |
| Suction hose                        | 1600mm      |
| Current consumption                 | 4,5A        |
| Power supply (electrical voltage)   | 230V        |
| Power supply (electrical frequency) | 50Hz        |
| Discharge hose                      | 6m          |
| Dispense hose profile               | DN 19 x 4mm |
| Max. suction height                 | 4m          |
| Delivery pressure                   | max. 2bar   |

Use the functions on the website to remember or compare

|                    |      |
|--------------------|------|
| Suction connection | G 1" |
| Cable length       | 2m   |

Use the functions on the website to remember or compare