



# ELECTRIC PUMP TECPUMP 400 DC 24 STANDARD DESIGN INCL. SIPHON PROTECTION 8 M PUMP HOSE, A2010

Article number: 105820800 EAN: 4031109020183

# **DESCRIPTION**

- Electrically powered self-priming vane pump.
- For conveying diesel, heating oil and radiator antifreeze concentrate, GTL, HVO and R33.
- Ideal for use in agriculture, industry, mobile company filling stations and similar facilities.

Use the functions on the website to remember or compare

mo-th: 08:00 - 17:00 o'clock fr: 08:00 - 15:00 o'clock



• Often used in mobile tank systems for refuelling on building sites and in fields.

### **Delivery contents:**

- Vane pump TecPump 400 DC
- Siphon protection/return flow
- Stainless steel suction filter integrated into the pump chamber
- Integrated overflow valve
- Connection cable (6 m long) with battery terminals Suction hose: 1,65 m, Pressure hose: 8,0 m
- Automatic pump nozzle A 2010

### **Technical information:**

Suction filter: Mesh size 0,9 mmDuty cycle: 50% ED S2 30 min

# **TECHNICAL DETAILS**

Max. suction height	4m
Delivery pressure	max. 1,2bar
Cable length	6m
Pressure connection female thread	G1"
Suction connection female thread	G1"
Power supply (electrical voltage)	24,5V (DC)
Flow rate	max. 42I/min
Ambient temperature	-20 - +40°C
Medium temperature	-10 - +40°C
Driving power	330W

Use the functions on the website to remember or compare  $% \left( x\right) =\left( x\right) +\left( x\right) +\left($ 

mo-th: 08:00 - 17:00 o'clock fr: 08:00 - 15:00 o'clock



Protection class	IP 54
Current consumption	13A

Use the functions on the website to remember or compare

 T +49 461 8696-126
 mo-th: 08:00 - 17:00 o'clock

 M sales@tecalemit.de
 fr: 08:00 - 15:00 o'clock