HDM 150 PRO LITER COUNTER

Article number:109320100
EAN: 4031109023061

DESCRIPTION

Description:

- Diesel dispenser with self-priming gear pump and liter counter.
- Pulser output for optional connection to existing automates already on site (HDA eco, HDA 5 eco, HDA pro e.g.).

TECALEMIT GMBH & CO. KG
Am Heizwerk 4
24983 Handewitt

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock

Caracteristics:

- Non-commercial use
- Second dispensing point included e. g. AdBlue®
- TRbF compliant, incl. drip tray and leak monitoring
- Two gear pumps with gas separator, filter
- 4-piston meter with pulse generator
- Type-approved automatic nozzle ZVA 25, incl. swivel
- Optional hose mast
- Nozzle holder
- Rear and underground suction pipe
- Suction side: ovalflange DN 50
- Two dirt traps already mounted in the dispenser
- Robust powder-coated stainless steel housing
- LC display, illuminated, with adjustable contrast
- Various languages selectable (Additional languages can be installed with a USB flash drive)

*Depending on viscosity and system

Your advantages:

- long lasting gear pump
- very robust stainless steel housing
- easy to use system
- easy connection to existing atuomates
- low maintenance equipment

Recommendations:

Please also think about your safety accessories ! Valves, pressure reliefs, filter etc. can be found accordingly in the HDM pro accessories list.

TECHNICAL DETAILS

Flow rate	140*l/min
Ambient temperature	-25 - +55°C

TECALEMIT GMBH & CO. KG
Am Heizwerk 4
24983 Handewitt

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock

Medium temperature	-10 - +35°C
Power supply (electrical voltage)	400V
Power supply (electrical frequency)	50Hz
Discharge hose	DN 25 x 4 m
Viskositätsbereich	1-20mPa·s
Display	640 x 480 px
Accuracy	< 0,5%
Connection suction side	DN 50
Suction height max.	4m

EQUIPMENT

233400371	Foundation frame B 850
233400506	Dispensing hose, with inlay 6.00 m DN 25 x 4 instead of 4.00 m DN 25 x 4
233400508	Dispensing hose 8.00 m DN 25 x 4 instead of 4.00 m DN 25 x 4
233400325	Host mast for HDM pro
233400180	Filter bracket incl. 30 microfilter cartridge
233400184	Angle check valve 2" HDM 150 pro / HDM 150/50 pro
233400300	Surcharge fee for Slimline ZVA dispensing nozzle instead of TECALEMIT ZVA

TECALEMIT GMBH & CO. KG
Am Heizwerk 4
24983 Handewitt

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock