



HDM 100 ECO BOX LITER COUNTER

Article number:109621100

EAN: 4031109022231

DESCRIPTION

Description:

- Diesel dispenser with self-priming pump and liter counter.
- Output for pulser meter for on site available automates (HDA eco / HDA 5 eco e.g.)

Use the functions on the website to remember or compare

Characteristics:

- incl. drip tray and leakage monitoring
- Rotary vane pump with single-phase asynchronous motor
- Oval gear meter with pulse generator, single pulse
- ZVA 25 automatic nozzle with approved design, incl. swivel joint
- Discharge hose holder
- Rear and underground suction pipe connection possible
- Suction pipe min. DN 32
- LC-Display, illuminated
- Robust powder-coated sheet steel housing

Your advantages:

- Service-friendly system structure with prepared return line connection
- Easy to use
- Easy to connect to existing automates

* depends on viscosity and system

TECHNICAL DETAILS

Flow rate	100l/min
Ambient temperature	-20 - +55°C
Medium temperature	-10 - +35°C
Suction hose	DN 32
Power supply (electrical voltage)	230V
Power supply (electrical frequency)	50Hz
Discharge hose	DN 25 x 4 m
Tap count	1

Use the functions on the website to remember or compare

Accuracy	± 0,5%
Connection suction side	G 1 1/4"
Suction height	2,5m

EQUIPMENT

224070000	1" mounting set for standard level probes
224061000	Terminal box IP 66 with breathable filter
233400374	Mounting bracket set HDM eco Box
233400375	Adjustable feet HDM eco Box
233400186	Slanted seat filter for G 1 1/4 for HDM 80 eco Box
233400506	Dispensing hose, with inlay 6.00 m DN 25 x 4 instead of 4.00 m DN 25 x 4
233400508	Dispensing hose 8.00 m DN 25 x 4 instead of 4.00 m DN 25 x 4
233400182	Angle check valve 1 1/4" HDM 80 eco and pro
233400188	Angle check valve 1 1/4" for underground tanks
233400195	Mounting kit return line for HDM eco
233400180	Filter bracket incl. 30 microfilter cartridge
233400300	Surcharge fee for Slimline ZVA dispensing nozzle instead of TECALEMIT ZVA

Use the functions on the website to remember or compare