



DIESEL-ECO-BOX 3 INKL. Z400 OHNE HEBERSCHUTZ

Article number: 110310043

EAN: 4031109020756

DIESEL / FUEL OIL 

DESCRIPTION

Electric, self-priming vane pump, for diesel, heating oil, and radiator antifreeze (concentrate), GTL, HVO and R33, for use in agriculture, industry, workshops, petrol stations and similar facilities.

Scope of supply:

Use the functions on the website to remember or compare

TECALEMIT GMBH & CO. KG

Am Heizwerk 4
24983 Handewitt

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock

- Diesel-Eco-Box 3
- Incl. Vane pump TecPump 600 AC
- suction filter made of stainless steel (1.4301)
- integrated overflow valve within pump chamber
- Schuko mains plug - cable length 2 m
- Mechanical meter Z 400

Technical data:

- Pump type: vane pump
- Medium temperature: -10° C up to +40° C
- Ambient temperature: -20° C up to +40° C
- Suction height max. 4 m (viscosity- and system-dependent)
- Delivery pressure: max. 2,0 bar
- Delivery volume: max. 55 l/min.
- Suction filter: mesh width 0,9 mm

TECHNICAL DETAILS

Flow rate	55l/min
Ambient temperature	-20 - +40°C
Medium temperature	-10 - +40°C
Delivery pressure	2bar
Suction connection	G 1"

Use the functions on the website to remember or compare

Suction height

4m

Connecting thread

G1"

Power supply

370W 4,5A230 V | 50 Hz

Use the functions on the website to remember or compare

TECALEMIT GMBH & CO. KGAm Heizwerk 4
24983 Handewitt**T** +49 461 8696-126
M sales@tecalemit.demo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock