



ELECTRIC PUMP TecPUMP 600 AC, SYSTEM, 4 M SUCTION HOSE

Article number: 110350400
EAN: 4031109013161

DESCRIPTION

- For diesel, heating oil EL/L, and radiator antifreeze (concentrate), GTL, HVO and R33
- Incl. Automatic nozzle A 2010 incl. hose swivel joint
- With integrated filter on the suction side
- Self-priming with integrated siphon protection

Use the functions on the website to remember or compare

- Mounting bracket for wall mounting
- 4 m dispensing hose
- Schuko mains plug - cable length 2 m

TECHNICAL DETAILS

Flow rate	ca. 55l/min
Drum thread	G 2"
Ambient temperature	-20 - +40°C
Medium temperature	-10 - +40°C
Driving power	370W
Protection class	IP 54
Current consumption	4,5A
Power supply (electrical voltage)	230V
Power supply (electrical frequency)	50Hz
Discharge hose	4m
Dispense hose profile	DN 19 x 4mm
Max. suction height	4m
Delivery pressure	max. 2bar
Suction connection	G 1"
Cable length	2m

Use the functions on the website to remember or compare

EQUIPMENT

331000400	Hose DN 19 x 4, G 1 AG, integrated
331000600	Hose DN 19 x 4, G 1 AG, integrated
331000800	Hose DN 19 x 4, G 1 AG, integrated
234338000	Suction hose for W50II, DN 19 x 4
253010101	Mechanical roller counter Z 400, with mounting kit for HORNET 50/80
253591004	Electronic flow meter FMT 3 - POM - add-on kit for HORNET 50/80
252300000	Standard nozzle ZV 2000
252620000	Automatic nozzle A 2010
252690000	Automatic nozzle ZVA 4.1 Slimline DN 20
208600010	Anschlussflansch-Set für TecPump 600
516870020	Bracket for TecPump System
253591998	Attachment kit FMT 3 to HORNET 50/80

Use the functions on the website to remember or compare