



FUEL MANAGEMENT SYSTEM HDA 5 ECO FOR UP TO 5 DISPENSING POINTS, NON-CALIBRATABLE

Article number: 110500800

EAN: 4031109010184

DIESEL / FUEL OIL	D
RADIATOR ANTIFREEZE	R
UREA	U
FUEL	F
CHEMICALS	C

Use the functions on the website to remember or compare

TECALEMIT GMBH & CO. KG

Am Heizwerk 4
24983 Handewitt

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock

DESCRIPTION

- Non-calibratable
- ID cards: up to 4,000 drivers and vehicles
- Storage capacity: over 10,000 dispensations (electronic journal)
- Connects to: Relay for feed pump, volume meter, nozzle valve switch, fill-level sensor or floating switch for monitoring the fill level
- Integrated transponder reader
- Integrated USB connection
- USB flash drive for convenient transfer of data
- Incl. PC Software HD Manager eco for the processing of dispensation data
- Robust metal housing

TECHNICAL DETAILS

Ambient temperature	-20 bis + 55°C
Protection class	54IP
Power supply (electrical voltage)	230V
Power supply (electrical frequency)	50Hz
Power consumption	6,2A
Digit height	12mm

EQUIPMENT

224070000	1" mounting set for standard level probes
224061000	Terminal box IP 66 with breathable filter

Use the functions on the website to remember or compare

233400200	Transponder fob for contactless identification of users RFID Tag Type 1
233400160	Connection for fill level probe
233400081	USB RFID Reader Type 1 USB RFID Reader Type 1
253400040	Flow rate meter FMOG, w/o display, digital, with pulse output, PEEK, vertical installation
027176605	Pulse generator kit FMOG 100, w/o display, with pulse output, vertical installation
233400700	Relay kit for HDA 5 eco
027177605	Pulse generator set FMOG 150, w/o display, with pulse output, non-calibratable, vertical installation
233400036	WLAN connection for HDA 5 eco
253591099	Electronic flow meter FMT 3 Pulser - POM
227702050	Support In-house Softwarekonfiguration für bis zu 50 Fahrer/Fahrzeuge
227702100	Support In-house Softwarekonfiguration für bis zu 100 Fahrer/Fahrzeuge
227702500	Support In-house software preconfiguration for up to 50 drivers/vehicles
227702800	Support Software commissioning and initial training
227702900	Support Software commissioning and initial training on site
233400202	RFID - Transponder card RFID Card Type 1
224020020	Füllstandsonde 300 mbar 1,0 %, 4-20mA, 5m Kabel
233400026	LTE module for HDA 5 eco including SIM card

Use the functions on the website to remember or compare