



DIESEL DISPENSING STATION HDM 150/050 PRO E

Article number: 110600630

EAN: 4031109005210

DIESEL / FUEL OIL



UREA



DESCRIPTION

- With EC-type examination certificate (MID)
- Fuel Management System with PC software (2.000 users)
- Second dispensing point included e. g. AdBlue®

Use the functions on the website to remember or compare

TECALEMIT GMBH & CO. KG

Am Heizwerk 4
24983 Handewitt

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock

- Double identification system - driver/vehicle
- Identification via transponder technology
- USB included as standard
- Optional interfaces: RS 232, RS 422, LAN, WLAN, GPRS
- TRbF compliant, incl. drip tray and leak monitoring
- Two gear pumps with gas separator, filter
- Two x 4-piston meter with pulse generator
- Type-approved automatic nozzle ZVA 25 / ZVA 19, incl. swivel
- Optional hose mast
- Nozzle holder
- Rear and underground suction pipe
- Suction pipe min. DN 50
- Robust powder-coated sheet steel housing
- Graphic display 640 x 480
- Stores up to 10.000 tank transactions
- Various languages selectable
- Additional languages can be installed with a USB flash drive

*Depending on viscosity and system

TECHNICAL DETAILS

Flow rate	140 / 50*l/min
Ambient temperature	-25 - +55°C
Medium temperature	-10 - +35°C
Driving power	2200W
Power supply (electrical voltage)	400V
Power supply (electrical frequency)	50Hz
Discharge hose	DN 25 x 4 m / DN 19 x 4 m

Use the functions on the website to remember or compare

Viscosity range	1-20mPa·s
Display	640 x 480 px
Accuracy	< 0,5%
Connection suction side	DN 50
Suction height	max. 4000*mm

EQUIPMENT

224070000	1" mounting set for standard level probes
224061000	Terminal box IP 66 with breathable filter
233400200	Transponder fob for contactless identification of users RFID Tag Type 1
233400450	Connection for fill level sensor
233400371	Foundation frame B 850
233400165	Floating switch HDM eco and pro
233400081	USB RFID Reader Type 1 USB RFID Reader Type 1
233400506	Dispensing hose, with inlay 6.00 m DN 25 x 4 instead of 4.00 m DN 25 x 4
233400508	Dispensing hose 8.00 m DN 25 x 4 instead of 4.00 m DN 25 x 4
233400031	WLAN connection for HDA pro
233400035	WLAN connection for HDM eco, HDM eco Box, HDM eco DEF, HDA eco Box

Use the functions on the website to remember or compare

233400325	Host mast for HDM pro
227702050	Support In-house Softwarekonfiguration für bis zu 50 Fahrer/Fahrzeuge
227702100	Support In-house Softwarekonfiguration für bis zu 100 Fahrer/Fahrzeuge
227702500	Support In-house software preconfiguration for up to 50 drivers/vehicles
227702800	Support Software commissioning and initial training
227702900	Support Software commissioning and initial training on site
233400202	RFID - Transponder card RFID Card Type 1
224020020	Füllstandsonde 300 mbar 1,0 %, 4-20mA, 5m Kabel
233400023	LTE module for HDA pro including SIM card
233400058	Surcharge fee for access via MIFARE transponder reader for HDA pro non commercial only
233400059	Surcharge fee for access via MIFARE transponder reader for HDA pro commercial only
233400184	Angle check valve 2" HDM 150 pro / HDM 150/50 pro
233400300	Surcharge fee for Slimline ZVA dispensing nozzle instead of TECALEMIT ZVA
816898013	Return line adapter PU hose to 1/4"

Use the functions on the website to remember or compare