



## DIESEL DISPENSING STATION HDM 60 ECO

Article number: 110700860  
EAN: 4031109004985

### DESCRIPTION

- Fuel Management System with connexion to myTecalemit
- Double identification system - driver/vehicle for max. 4,000 users
- Identification via transponder technology
- USB interface to access data
- Data connection via LAN & WLAN optionally available
- Data connection via GPRS & LTE optionally available

Use the functions on the website to remember or compare

- incl. drip tray and leakage monitoring
- Rotary vane pump with single-phase asynchronous motor
- Oval gear meter with pulse generator
- A 2010 automatic nozzle with approved design, incl. swivel joint
- Discharge hose holder
- Rear and underground suction pipe connection possible
- Suction pipe min. DN 25
- Graphical Display, illuminated
- Robust powder-coated sheet steel housing
- Stores up to 10,000 transactions
- Menu available in DE, EN, FR, ES, DK, PL, RO, RU
- Additional languages can be installed with a USB flash drive

\* depends on viscosity and system

## TECHNICAL DETAILS

|                                     |             |
|-------------------------------------|-------------|
| Flow rate                           | 55l/min     |
| Ambient temperature                 | -20 - +55°C |
| Medium temperature                  | -10 - +35°C |
| Suction hose                        | DN 25       |
| Power supply (electrical voltage)   | 230V        |
| Power supply (electrical frequency) | 50Hz        |
| Discharge hose                      | DN 19 x 4 m |
| Tap count                           | 1           |
| Accuracy                            | ± 0,5%      |
| Connection suction side             | G 1"        |

Use the functions on the website to remember or compare

|                |      |
|----------------|------|
| Suction height | 3,5m |
|----------------|------|

## EQUIPMENT

|           |                                                                                                                                                               |
|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 233400187 | Angle check valve 1" HDM 60 eco                                                                                                                               |
| 224020020 | Füllstandsonde 300 mbar 1,0 %, 4-20mA, 5m Kabel                                                                                                               |
| 227702100 | Support   In-house Softwarekonfiguration für bis zu 100 Fahrer/Fahrzeuge                                                                                      |
| 227702050 | Support   In-house Softwarekonfiguration für bis zu 50 Fahrer/Fahrzeuge                                                                                       |
| 227702900 | Support Software commissioning and initial training on site                                                                                                   |
| 227702800 | Support Software commissioning and initial training                                                                                                           |
| 227702500 | Support In-house software preconfiguration for up to 50 drivers/vehicles                                                                                      |
| 227000300 | myTecalemit Websoftware Full-Service Package Filling Station for TECALEMIT HDA eco/HDA pro                                                                    |
| 227000200 | myTecalemit Websoftware Fill level module for TECALEMIT FMS units HDA eco/HDA pro as additional fill level logging tool for base and reporting/service module |
| 227000100 | myTecalemit web software Filling station reporting and service module                                                                                         |
| 233400373 | Foundation frame HDM eco                                                                                                                                      |
| 233400300 | Surcharge fee for Slimline ZVA dispensing nozzle instead of TECALEMIT ZVA                                                                                     |
| 233400180 | Filter bracket incl. 30 microfilter cartridge                                                                                                                 |

Use the functions on the website to remember or compare

|                  |                                                                           |
|------------------|---------------------------------------------------------------------------|
| <b>233400165</b> | Floating switch HDM eco and pro                                           |
| <b>233400032</b> | LAN connection for HDM eco, HDM eco Box                                   |
| <b>233400195</b> | Mounting kit return line for HDM eco                                      |
| <b>233400181</b> | Angle check valve 1" HDM 60 eco                                           |
| <b>224061000</b> | Terminal box IP 66 with breathable filter                                 |
| <b>224070000</b> | 1" mounting set for standard level probes                                 |
| <b>224050010</b> | Fill level probe 500 mbar                                                 |
| <b>233400160</b> | Connection for fill level probe                                           |
| <b>233400081</b> | USB read station for transponder fobs                                     |
| <b>233400202</b> | RFID - Transponder card for contactless identification                    |
| <b>233400200</b> | Transponder fob for contactless identification of users                   |
| <b>233400408</b> | Dispensing hose, with inlay, 8.00 m DN 19 x 4 instead of 4.00 m DN 19 x 4 |
| <b>233400406</b> | Dispensing hose, with inlay, 6.00 m DN 19 x 4 instead of 4.00 m DN 19 x 4 |
| <b>233400024</b> | LTE module for HDM/HDA eco including SIM card                             |
| <b>233400035</b> | WLAN connection for HDM eco, HDM eco Box, HDM eco DEF, HDA eco Box        |

Use the functions on the website to remember or compare