

BIODIESEL DISPENSER HDM 80 ECO LZ BIO

DIESEL / FUEL OIL D

Article number: 110700887
EAN: 4031109020275

DESCRIPTION

Dispenser with litre counter.

Safety features:

- incl. drip tray

TECALEMIT GMBH & CO. KG
Am Heizwerk 4
24983 Handewitt

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock

- incl. leakage monitoring

Technical details:

- Version: not calibratable
- Pump: rotary vane pump W 80 with asynchronous motor
- Metering principle: oval gear meter with single pulser
- Discharge hose: 4m DN 25 NBR with type-approved automatic nozzle ZVA, discharge hose holder
- Inlet: G1 1/4"
- Suction line: min. DN 32
- Housing: robust powder-coated steel housing
- Medium: Biodiesel confirm with EN 14214

TECHNICAL DETAILS

Flow rate	75l/min
Ambient temperature	-20 - +55°C
Medium temperature	-10 - +35°C
Suction hose	DN 32
Power supply (electrical voltage)	230V
Spannungsversorgung (elektrische Frequenz)	50Hz
Discharge hose	DN 25 x 4 m
Display	Hintergrundbeleuchtetes GrafikdisplayLCD-Display
Tap count	1
Accuracy	± 0,5%
Connection suction side	G 1 1/4"
Suction height	3,5m

TECALEMIT GMBH & CO. KG
Am Heizwerk 4
24983 Handewitt

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock

EQUIPMENT

233400165	Floating switch HDM eco and pro
233400373	Foundation frame HDM eco
233400186	Slanted seat filter for G 1 1/4 for HDM 80 eco Box
233400182	Angle check valve 1 1/4" HDM 80 eco and pro
233400188	Angle check valve 1 1/4" for underground tanks
233400195	Mounting kit return line for HDM eco
233400177	Biodiesel Filter incl. bracket 1"
233400509	Dispensing hose Biodiesel 8.00 m DN 25 x 4 instead of 4.00 m DN 25 x 4

TECALEMIT GMBH & CO. KG
Am Heizwerk 4
24983 Handewitt

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock