



DIESEL PUMP HDM 60 eco Box

Article number: 110700960
EAN: 4031109005074

DESCRIPTION

Tank automat with PC-software for max. 2.000 users
Identification via transponder technology
USB-interface for date transfer

Safety features:

- incl. drip tray

Use the functions on the website to remember or compare

- incl. leakage monitoring

Technical details:

- Version: not calibratable
- Pump: rotary vane pump W 50 II with asynchronous motor
- Metering principle: oval wheel gear meter with pulser
- discharge hose: 4m DN 19 with type-approved automatic nozzle A2010, discharge hose holder
- Suction line: min. DN 25
- Housing: robust powder-coated steel housing
- Tank automat HDA eco: up to 2000 users incl. USB interface for data transfer incl. transponder reading unit
- Display: two-line LCD Display, illuminated, 8 or 19mm digit height
- Tank data storage: saves up to 10.000 filling data records
- Medium: Diesel
- Languages: DE,GB,FR,ES,DK,PL,RO,RU

TECHNICAL DETAILS

Flow rate	55l/min
Ambient temperature	-20 - +55°C
Medium temperature	-10 - +35°C
Suction hose	DN 32
Power supply (electrical voltage)	230V
Power supply (electrical frequency)	50Hz
Discharge hose	DN 19 x 4 m
Display	Hintergrundbeleuchtetes GrafikdisplayLCD-Display
Tap count	1

Use the functions on the website to remember or compare

Accuracy ± 0,5%

Connection suction side G 1"

Suction height 3,5m

EQUIPMENT

233400187 Angle check valve 1" HDM 60 eco

224020020 Füllstandsonde 300 mbar 1,0 %, 4-20mA, 5m Kabel

227702100 Support | In-house Softwarekonfiguration für bis zu 100 Fahrer/Fahrzeuge

227702050 Support | In-house Softwarekonfiguration für bis zu 50 Fahrer/Fahrzeuge

227702900 Support Software commissioning and initial training on site

227702800 Support Software commissioning and initial training

227702500 Support In-house software preconfiguration for up to 50 drivers/vehicles

227000300 myTecalemit Websoftware Full-Service Package Filling Station for TECALEMIT HDA eco/HDA pro

227000200 myTecalemit Websoftware Fill level module for TECALEMIT FMS units HDA eco/HDA pro as additional fill level logging tool for base and reporting/service module

227000100 myTecalemit web software Filling station reporting and service module

234338003 Suction hose HDM 60 eco Box

Use the functions on the website to remember or compare

233400300	Surcharge fee for Slimline ZVA dispensing nozzle instead of TECALEMIT ZVA
233400180	Filter bracket incl. 30 microfilter cartridge
233400165	Floating switch HDM eco and pro
233400032	LAN connection for HDM eco, HDM eco Box
233400195	Mounting kit return line for HDM eco
233400181	Angle check valve 1" HDM 60 eco
224061000	Terminal box IP 66 with breathable filter
224070000	1" mounting set for standard level probes
224050010	Fill level probe 500 mbar
233400160	Connection for fill level probe
233400081	USB read station for transponder fobs
233400202	RFID - Transponder card for contactless identification
233400200	Transponder fob for contactless identification of users
233400408	Dispensing hose, with inlay, 8.00 m DN 19 x 4 instead of 4.00 m DN 19 x 4
233400406	Dispensing hose, with inlay, 6.00 m DN 19 x 4 instead of 4.00 m DN 19 x 4
233400024	LTE module for HDM/HDA eco including SIM card
233400035	WLAN connection for HDM eco, HDM eco Box, HDM eco DEF, HDA eco Box

Use the functions on the website to remember or compare