



BIODIESEL PUMP HDM 60 ECO BOX LZ BIO

Article number: 110700976

EAN: 4031109020305

DIESEL / FUEL OIL



DESCRIPTION

Pump system with litre counter

Safety features:

- incl. drip tray

Use the functions on the website to remember or compare

TECALEMIT GMBH & CO. KG

Am Heizwerk 4
24983 Handewitt

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock

- incl. leakage monitoring

Technical details:

- Version: not calibratable
- Pump: rotary vane pump W 50 II with asynchronous motor
- Metering principle: oval gear meter with single pulser
- Discharge hose: 4m DN 19 NBR with type-approved automatic nozzle ZVA, discharge hose holder
- Inlet: G1"
- Suction line: min. DN 25
- Housing: robust powder-coated steel housing
- Medium: Biodiesel conform with EN 14214

TECHNICAL DETAILS

Flow rate	55l/min
Ambient temperature	-20 - +55°C
Medium temperature	-10 - +35°C
Suction hose	DN 25
Power supply (electrical voltage)	230V
Power supply (electrical frequency)	50Hz
Discharge hose	DN 19 x 4 m
Display	Hintergrundbeleuchtetes GrafikdisplayLCD-Display
Tap count	1
Accuracy	± 0,5%
Connection suction side	G 1"

Use the functions on the website to remember or compare

Suction height

3,5m

EQUIPMENT

233400165	Floating switch HDM eco and pro
233400181	Angle check valve 1" HDM 60 eco
233400187	Angle check valve 1" HDM 60 eco
233400195	Mounting kit return line for HDM eco
233400177	Biodiesel Filter incl. bracket 1"

Use the functions on the website to remember or compare

TECALEMIT GMBH & CO. KGAm Heizwerk 4
24983 Handewitt**T** +49 461 8696-126
M sales@tecalemit.demo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock