



BIODIESEL DISPENSER HDM 100 ECO BOX LZ BIO

DIESEL / FUEL OIL **D**

Article number: 110702185

EAN: 4031109020367

DESCRIPTION

Electrical biodiesel dispenser for private fleets. Only for trucks filling.

Description:

Use the functions on the website to remember or compare

TECALEMIT GMBH & CO. KG

Am Heizwerk 4
24983 Handewitt

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock

- Biodiesel dispenser with self-priming pump and automate and pulser output.
- Dispensing only to trucks

Technical details:

- Version: non commercial
- Pump: self-priming vane pump
- Metering principle: Oval wheel gear meter with pulser
- Discharge hose: 4m DN 25 NBR with type approved automatic nozzle ZVA 25
- Inlet: G 1 1/4" Possibility for underneath suction tube connection
- Suction line: min. DN 32
- Housing: robust powder-coated steel housing
- Medium: Biodiesel conform with EN 14214
- Standard languages: DE, GB, FR, ES, PL, RO, TR, DK, NO, SE, CZ, LI, LV, RU

TECHNICAL DETAILS

Flow rate	ca. 100l/min
Ambient temperature	-20 - +55°C
Medium temperature	-10 - +35°C
Suction hose	DN 32
Power supply (electrical voltage)	230V
Power supply (electrical frequency)	50Hz
Discharge hose	DN 25 x 4m
Impulses	100Impulse/l
Tap count	1
Accuracy	± 0,5%
Connection suction side	G 1 1/4"

Use the functions on the website to remember or compare

Suction height

2,5m

EQUIPMENT

233400165	Floating switch HDM eco and pro
233400186	Slanted seat filter for G 1 1/4 for HDM 80 eco Box
233400182	Angle check valve 1 1/4" HDM 80 eco and pro
233400188	Angle check valve 1 1/4" for underground tanks
233400195	Mounting kit return line for HDM eco
233400177	Biodiesel Filter incl. bracket 1"
233400509	Dispensing hose Biodiesel 8.00 m DN 25 x 4 instead of 4.00 m DN 25 x 4

Use the functions on the website to remember or compare