

TIRE PRESSURE REGULATOR AUTOAIR LL CAR - PEDESTAL UNIT

AIR A

Article number:117310000
EAN: 4031109003964

DESCRIPTION

Electronically controlled, automatictire pressure regulator.Stainless steel housing, illuminated display.Legally calibratable, approval through PTB design approvalNo. 18.08/00.03 / 18.08/05.03M

TECALEMIT GMBH & CO. KG
Am Heizwerk 4
24983 Handewitt

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock

- Easy to operate
- Desired tire pressure is
- preselected with the use of 2 buttons (+/-) and then confirmed with the (v) button
- Filling process starts automatically after
- Hose is connected
- Microcontroller determines the current tire pressure
- Filling process is terminated automatically once the set value has been reached
- Signal alarm sounds when set value has been reached
- Leakage in the valve connector is indicated by an error message

AdvantagesNo moving parts, therefore

- No wear and tear
- Not susceptible to ingress of dirt
- Easy operation without requiring the use of much force

Keypad is integrated into the front panel sheet, allowing for

- Easy cleaning
- Increased weather resistance

Quality that is Made in Germany

TECHNICAL DETAILS

Power supply (electrical voltage)	230V
Power supply (electrical frequency)	50Hz
Hose length	10m
Power consumption	12W
Filling pressure max.	5,5bar
Deviation / Tolerance	< 0,08bar
Air supply min/max	7 - 16bar

TECALEMIT GMBH & CO. KG
Am Heizwerk 4
24983 Handewitt

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock

SPARE PARTS

499900322	Replacement rubber seal for standard lever valve plugs
812648001	Spiral hose with lever valve plug
812648002	Smooth hose with lever valve plug

TECALEMIT GMBH & CO. KG
Am Heizwerk 4
24983 Handewitt

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock