



HDM 60 ECO BIO LITER COUNTER

Article number:139600100

EAN: 4031109022293

DESCRIPTION

Description:

- Diesel dispenser with self-priming pump and liter counter.
- Output for pulser meter for on site available automates (HDA eco, HDA 5 eco e.g.)

Use the functions on the website to remember or compare

Characteristics:

- Version: not calibratable
- Pump: rotary vane pump with asynchronous motor
- Metering principle: oval gear meter with pulser
- discharge hose: 4m DN 25 NBR with type-approved automatic nozzle ZVA Slimline, discharge hose holder
- Inlet: G 1" female
 - Rear and underground suction pipe connection possible.
Dirt trap already mounted in the dispenser.
- Suction line: min. DN 25
- Housing: robust powder-coated steel housing
- Display: illuminated
- Medium: Biodiesel conform with EN 14214

Your advantages:

- Service-friendly system structure with prepared return line connection
- Easy to use
- Easy to connect to existing automates

TECHNICAL DETAILS

Flow rate	55l/min
Ambient temperature	-20 - +55°C
Medium temperature	-10 - +35°C
Suction hose	DN 25
Power supply (electrical voltage)	230V
Power supply (electrical frequency)	50Hz
Discharge hose	DN 25 x 4 m
Display	LCD, backlit

Use the functions on the website to remember or compare

Tap count	1
Accuracy	± 0,5%
Connection suction side	G 1"
Suction height	3,5m

EQUIPMENT

233400373	Foundation frame HDM eco
233400181	Angle check valve 1" HDM 60 eco
233400187	Angle check valve 1" HDM 60 eco
233400195	Mounting kit return line for HDM eco
233400177	Biodiesel Filter incl. bracket 1"

Use the functions on the website to remember or compare