



ULTRASONIC TANK LEVEL GAUGE TECSONIC MODELL MOBILE

Article number: 225800200

EAN: 4031109016155

DIESEL / FUEL OIL



USED OIL



DESCRIPTION

- Easy to install
- Daily tank level readings

Use the functions on the website to remember or compare

TECALEMIT GMBH & CO. KG

Am Heizwerk 4
24983 Handewitt

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock

- Stay ahead for tomorrow's product demand
- Improve your logistics planning
- Avoid critical low levels
- Levels can be read through mytecalemit web portal software
- Can be integrated with other HORN HDA/HDM tank systems
- Maximum security of your online data
- Suitable for indoor and outdoor use

TECHNICAL DETAILS

Tank height max.	3m
Battery	4x 1,5V Typ C LR14 Alka.
Ambient temperature	-17 bis +50°C
Datenübertragung	GSM/GPRS (2G)
Anschlussgewinde	1 1/4, 1 1/2, 2"
Schutzart	67IP
Genauigkeit	2,0cm
Spannungsversorgung	Batterie 4x 1,5 V C LR14
SIM -Karte	inklusive, ohne Folgekosten
Anzeige / Display	-
Alarmkontakte	-

Use the functions on the website to remember or compare

EQUIPMENT

225800020	Signal tube TecSonic 2m as WaveGuide
225800030	Signal tube TecSonic 3m as WaveGuide
225800050	Combi vent cap 2" for 1" tank screw-in opening

Use the functions on the website to remember or compare