



ULTRASONIC TANK LEVEL GAUGE TecSONIC MODELL MOBILE

Article number: 225800200
EAN: 4031109016155

DESCRIPTION

- Easy to install
- Daily tank level readings
- Stay ahead for tomorrow's product demand
- Improve your logistics planning

Use the functions on the website to remember or compare

- Avoid critical low levels
- Levels can be read through mytecalemit web portal software
- Can be integrated with other HORN HDA/HDM tank systems
- Maximum security of your online data
- Suitable for indoor and outdoor use

TECHNICAL DETAILS

Tank height max.	3m
Battery	4x 1,5V Typ C LR14 Alka.
Ambient temperature	-17 bis +50°C
Datenübertragung	GSM/GPRS (2G)
Anschlussgewinde	1 1/4, 1 1/2, 2"
Schutzart	67IP
Genauigkeit	2,0cm
Spannungsversorgung	Batterie 4x 1,5 V C LR14
SIM -Karte	inklusive, ohne Folgekosten
Anzeige / Display	-
Alarmkontakte	-

Use the functions on the website to remember or compare

EQUIPMENT

227000250	myTecalemit Websoftware Filling level module for TecSonic-system
225800020	Signal tube TecSonic 2m as WaveGuide
225800030	Signal tube TecSonic 3m as WaveGuide
225800050	Combi vent cap 2" for 1" tank screw-in opening

Use the functions on the website to remember or compare