



TECALEMIT FLOW PANEL BATT | INTERNAL ANTENNA

Article number: 254300000

EAN: 4031109023207

DESCRIPTION

The **TECALEMIT Flow** is more than just a meter; it's the central intelligence for your fluid management system.

The **TECALEMIT Flow Panel Batt | Internal Antenna** is designed for fast and reliable flow measurement of highly viscous media. At its heart is the **pulse input**, which allows you to use external measuring chambers. The TECALEMIT

Use the functions on the website to remember or compare

Flow's **durable plastic housing** and high **IP65 protection class** guarantee longevity, even in harsh conditions. As part of the Flow system, this meter becomes the central intelligence for your fluid management, automatically recording, controlling, and analyzing all operations.

TECHNICAL DETAILS

Flow rate	depending on the measuring chamber usedl/min.
Protection class	65IP
Connecting thread	See connections below
Viscosity min.	depending on the measuring chamber usedmPa s
Viscosity max.	depending on the measuring chamber usedmPa s
Calibrated accuracy	depending on the measuring chamber used%
Uncalibrated accuracy	depending on the measuring chamber used%
Antenna	Internal LTE & GPS Module
Power supply	Battery - 4x1,5V AA
Measuring chamber	External
Dimensions	123,3 x 77,5 x 113,7 (LxWxH)mm
Weight	1,1kg

Use the functions on the website to remember or compare

EQUIPMENT

030498010	RFID Tag Typ 2
030498020	RFID Transponder Card Type 2
030498200	USB RFID Reader For use with PCs
233400203	RFID-TAG Dual Type 1 & 2
233400204	RFID-Card Dual Type 1 & 2

Use the functions on the website to remember or compare