



TECALEMIT FLOW PANEL AC | INTERNAL ANTENNA

Article number: 254301000

EAN: 4031109023221

DESCRIPTION

The **TECALEMIT Flow** is more than just a meter; it's the central intelligence for your fluid management system.

The **TECALEMIT Flow Panel AC | Internal antenna** is designed for fast and reliable flow measurement of highly viscous media. At its heart is the **pulse input**, which allows you to use external measuring chambers. The **TECALEMIT Flow's**

Use the functions on the website to remember or compare

durable plastic housing and high **IP54 protection class** guarantee longevity, even in harsh conditions. As part of the Flow system, this meter becomes the central intelligence for your fluid management, automatically recording, controlling, and analyzing all operations.

TECHNICAL DETAILS

Flow rate	depending on the measuring chamber usedl/min.
Protection class	54IP
Connecting thread	See connections below
Viscosity min.	depending on the measuring chamber usedmPa s
Viscosity max.	depending on the measuring chamber usedmPa s
Calibrated accuracy	depending on the measuring chamber used%
Uncalibrated accuracy	depending on the measuring chamber used%
Antenna	Internal LTE & GPS Module
Power supply	Powerbox AC 120 – 230 V 50/60 Hz
Measuring chamber	External
Dimensions	123,3 x 77,5 x 113,7 (LxWxH)mm
Weight	-kg

Use the functions on the website to remember or compare

EQUIPMENT

030498010	RFID Tag Typ 2
030498020	RFID Transponder Card Type 2
030498200	USB RFID Reader For use with PCs
233400203	RFID-TAG Dual Type 1 & 2
233400204	RFID-Card Dual Type 1 & 2

Use the functions on the website to remember or compare