



TECALEMIT FLOW TM 120 AC | EXTERNAL ANTENNA

Article number: 254411100

EAN: 4031109023276

DIESEL / FUEL OIL **D**

UREA **U**

RADIATOR ANTIFREEZE **R**

DESCRIPTION

The TECALEMIT Flow is more than just a meter. It is the central intelligence for your fluid management.

The **TECALEMIT Flow TM 120 AC | External antenna** was designed for the fast and reliable flow measurement of low-viscosity media. At its core is the high-performance **turbine gear measuring chamber (TM 120)**, which ensures precise

Use the functions on the website to remember or compare

TECALEMIT GMBH & CO. KG

Am Heizwerk 4
24983 Handewitt

T +49 461 8696-126
M sales@tecalemit.de

mo-th: 08:00 - 16:30 o'clock
fr: 08:00 - 15:00 o'clock

results for **diesel**, **urea**, **radiator antifreeze**, and **water**. The TECALEMIT Flow's housing, made of durable **POM**, and the high **IP54** protection class guarantee longevity even under harsh conditions. As part of the Flow system, the meter becomes the central intelligence of your fluid management, automatically recording, controlling, and analyzing all processes. With the **Powerbox AC**, you supply your system with electricity and connect external devices such as pumps, external measuring chambers, and probes.

TECHNICAL DETAILS

Flow rate	5-120l/min.
Max. operating pressure	10bar
Protection class	54IP
Connecting thread	G 1"Zoll
Viscosity min.	0,8 mPa s
Viscosity max.	40mPa s
Calibrated accuracy	+/- 1 %
Uncalibrated accuracy	+/- 2%
Power source	Powerbox AC 120 - 230 V 50/60 Hz
Dimensions	123,3 x 77,5 x 113,7 (LxWxH)mm
Weight	1,1kg
Material TECALEMIT Flow	POM
Material Powerbox	Plastic
Antenna	Use with external LTE & GPS

Use the functions on the website to remember or compare

EQUIPMENT

225600005	Antenna LTE/GPS
225600003	Antenna GPS
225600004	Antenne LTE
030498010	RFID Tag Typ 2
030498020	RFID Transponder Card Type 2
030498200	USB RFID Reader For use with PCs
254800000	Wallmount for TECALEMIT Flow TM 120
233400203	RFID-TAG Dual Type 1 & 2
233400204	RFID-Card Dual Type 1 & 2

Use the functions on the website to remember or compare